

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) Classifications according to Regulation (EC) No 1272/2008. Printdate 06 Mar 2024

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product name:

Quizalofop-p-tefuryl

1.1. Catalog No.:

683867

1.2. Relevant identified uses of the substance or mixture

Identified: Laboratory chemical uses: R&D

1.3. Uses advised against:

HPC Standards GmbH Am Wieseneck 7

04451 Cunnersdorf Deutschland

Tel. +49 34291 3372-36 Fax. +49 34291 3372-39 contact@hpc-standards.com

1.4. Emergency telephone number

HPC Standards Tel. +49 34291 3372-36 This number is only available during office hours.

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
GHS08 health hazard
Muta. 2 H341 Suspected of causing genetic defects.
Repr. 1B H360Df May damage the unborn child. Suspected of damaging fertility.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
GHS09 environment
Agustic Acute 1 H400 Very toxic to aquatic life.

Aquatic Acute 1 H400 Very toxic to aquatic life.
Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.
GHS07

Acute Tox. 4 H302 Harmful if swallowed.

2.2. Label elements

2.2.1. Pictogram









2.2.2.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms GHS07 GHS08 GHS09

· Signal word Danger

· Hazard statements

H302 Harmful if swallowed.

H341 Suspected of causing genetic defects.
H360Df May damage the unborn child. Suspected of damaging fertility.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Restricted to professional users.

2.3 Other hazards
Results of PBT and vPvB assessment

PBT: Not applicable.

· vPvB: Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

· 3.1 Chemical characterisation: Substances

CAS No. Description
 200509-41-7 Quizalofop-P-tefuryl

· Identification number(s) None

· RTECS:

· Additional information: For the wording of the listed hazard phrases refer to section 16.

3.1.1. Formula

C22H21CIN2O5

3.1.2. Molecular Weight (g/mol)

428.87



3.1.3. CAS-No.

200509-41-7

4. FIRST AID MEASURES

- 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may occur even after several hours; therefore medical observation for at least 48 hours after the accident is recommended.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water.

- After eye contact. Name opened system sections.
 After swallowing:
 Rinse mouth. Do not induce vomiting.
 Seek medical treatment.
 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
 4.3 Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.

5.2 Special hazards arising from the substance or mixture
 During heating or in case of fire poisonous gases are produced.
 5.3 Advice for firefighters

Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Avoid formation of dust.
6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure good ventilation/extraction at the workplace.

Store in cool, dry place in tightly closed receptacles.

Open and handle receptacle with care.

- Information about fire and explosion protection: Keep respiratory protective device available.
- 7.2 Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Please refer to the manufacturers certificate for specific storage and transport temperature conditions.

Store only in the original receptacle.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: Not required.
 Additional information: Lists used were valid at the time of SDS preparation.

8.2 Exposure controls

Personal protective equipment:
 General protective and hygienic measures:
 Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Respiratory protection:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374

Protective gloves

Material of gloves Fluorocarbon rubber (Viton)

 Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:
 Tightly sealed goggles

9. PHYSICAL AND CHEMICAL PROPERTIES

- · 9.1 Information on basic physical and chemical properties
- General Information

Appearance:

Form: Solid

Colour: White

- · Odour: Odourless
- · Odour threshold: Not determined.
- pH-value: Not applicable.
 Change in condition

Melting point/freezing point: 58.3 °C Initial boiling point and boiling range: Not determined. • Flash point: 132 °C



· Flammability (solid, gas): Not determined. · Ignition temperature: Not determined

Decomposition temperature: Not determined.

Auto-ignition temperature: Not determined.

Explosive properties: Not determined.Explosion limits:

Lower: Not determined. Upper: Not determined.

Vapour pressure: Not applicable.
Density: Not determined.

Relative density Not determined.
Vapour density Not applicable.

Evaporation rate Not applicable.
 Solubility in / Miscibility with

water: Not determined.

· Partition coefficient: n-octanol/water: 4.32 logP

Viscosity:
Dynamic: Not applicable.
Kinematic: Not applicable.

· 9.2 Other information No further relevant information available.

10. STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.
 Thermal decomposition / conditions to be avoided:

Formation of toxic gases is possible during heating or in case of fire.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Heat.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition products:
Formation of toxic gases is possible during heating or in case of fire.

11. TOXICOLOGICAL INFORMATION

- · 11.1 Information on toxicological effects
- Acute toxicity

Harmful if swallowed.

LD/LC50 values relevant for classification: Oral LD50 1,012 mg/kg (rat) Dermal LD50 >2,000 mg/kg (rabbit)

Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Muta. 2, Repr. 1B

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

STOT-single exposure Based on available data, the classification criteria are not met.
STOT-repeated exposure
May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard Based on available data, the classification criteria are not met.



12. ECOLOGICAL INFORMATION

- 12.1 Toxicity

Aquatic toxicity:

EC50/48 h >1.5 mg/l (daphnia)

EC50/72h >1.9 mg/l (Algae)

LC50/96 h 0.23 mg/l (fish)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxicological effects:
- Remark: Very toxic for fish
 Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

- · 12.6 Other adverse effects No further relevant information available.

13. DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

Uncleaned packaging:
 Recommendation: Dispose of in accordance with national regulations.

14. TRANSPORT INFORMATION

- · 14.1 UN-Number
- 14.1 UN-NUMBER
 ADR, IMDG, IATA UN3077
 ADR 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Quizalofop-P-tefuryl)
 IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Quizalofop-P- tefuryl), MARINE

POLLUTANT

· IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Quizalofop-P-tefuryl)

- 14.3 Transport hazard class(es)
 ADR, IMDG, IATA
- Class 9 Miscellaneous dangerous substances and articles.
- · Label 9
- 14.4 Packing group
 ADR, IMDG, IATA III
- 14.5 Environmental hazards:

- Marine pollutant: Symbol (fish and tree)
 Special marking (ADR): Symbol (fish and tree)
 Special marking (IATA): Symbol (fish and tree)
- · 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.
- Danger code (Kemler): 90EMS Number: F-A,S-F

- Stowage Category A
 Stowage Code SW23 When transported in BK3 bulk container, see



7.6.2.12 and 7.7.3.9.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

Transport/Additional information:

- ADR
- Limited quantities (LQ) 5 kg
- Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g
- Transport category 3
- UN "Model Regulation": UN 3 0 7 7 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (QUIZALOFOP-PTEFURYL),

9 III

15. REGULATORY INFORMATION

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 Philippines Inventory of Chemicals and Chemical Substances Substance is not listed.
 Australian Inventory of Chemical Substances Substance is not listed.
 Standard for the Uniform Scheduling of Medicines and Poisons Substance is not listed.

Directive 2012/18/EU

- Directive 2012/18/EU
 Named dangerous substances ANNEX I Substance is not listed.
 Seveso category E1 Hazardous to the Aquatic Environment
 Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
 Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. For lab use only!