

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) Classifications according to Regulation (EC) No 1272/2008. Printdate 16 Aug 2022

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product name:

Phenmedipham

1.1. Catalog No.:

689757

1.2. Relevant identified uses of the substance or mixture Identified: Laboratory chemical uses: R&D

uses:

1.3. Uses advised against:

HPC Standards GmbH Am Wieseneck 7

04451 Cunnersdorf Deutschland

Tel. +49 34291 3372-36 Fax. +49 34291 3372-39 contact@hpc-standards.com

1.4. Emergency telephone number

HPC Standards Tel. +49 34291 3372-36 This number is only available during office hours.

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H311 Specific target organ toxicity - single exposure (Category 1), H370 For the full text of the H-Statements mentioned in this Section, see Section 16. Classification according to EU Directives 67/548/EEC or 1999/45/EC F Highly flammable R11 T Toxic R23/24/25, R39/23/24/25

2.2. Label elements

2.2.1. Pictogram





2.2.2.

Signal word Danger Hazard statement(s) H225 Highly flammable liquid and vapour. H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled H370 Causes damage to organs. Precautionary statement(s) P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P280 Wear protective gloves/ protective clothing. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P311 Call a POISON CENTER or doctor/ physician. Supplemental Hazard Statements none 2.3 Other hazards

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Synonyms : Methyl alcohol Formula : CH4O Molecular Weight : 32,04 g/mol CAS-No. : 67-56-1 EC-No. : 200-659-6 Index-No. : 62,001 00 X Index-No. : 603-001-00-X Registration number : 01-2119433307-44-XXXX Hazardous ingredients according to Regulation (EC) No 1272/2008 Component Classification Concentration Methanol CAS-No. EC-No. Index-No. Registration number 67-56-1 200-659-6 603-001-00-X 01-2119433307-44-XXXX Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301 + H311 + H331, H370 Hazardous ingredients according to Directive 1999/45/EC Component Classification Concentration CAS-No. EC-No. Index-No. Registration number 67-56-1 200-659-6 603-001-00-X 01-2119433307-44-XXXX F, T, R11 - R23/24/25 -R39/23/24/25 <= 100 %



3.1.1. Formula

C16H16N2O4

3.1.2. Molecular Weight (g/mol)

300.31

3.1.3. CAS-No.

13684-63-4

4. FIRST AID MEASURES

4.1 Description of first aid measures General advice Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. In case of eye contact Flush eyes with water as a precaution. If swallowed Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed
The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. 5.2 Special hazards arising from the substance or mixture Carbon oxides 5.3 Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary. 5.4 Further information Use water spray to cool unopened containers.



6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and

place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(š)

no data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of interviewed gloves after use in accordance with applicable laws and good laboratory practices. contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties a) Appearance Form: liquid Colour: colourless b) Odour pungentc) Odour Threshold no data available d) pH no data available
 e) Melting point/freezing point Melting point/range: -98 °C f) Initial boiling point and boiling range 64,7 °C g) Flash point 9,7 °C - closed cup h) Evapouration rate no data available i) Flammability (solid, gas) no data available i) Flammability (solid, gas) no data availat j) Upper/lower flammability or explosive limits Upper explosion limit: 36 %(V) Lower explosion limit: 6 %(V) k) Vapour pressure 130,3 hPa at 20,0 °C 546,6 hPa at 50,0 °C 169,27 hPa at 25,0 °C I) Vapour density 1,11 m) Relative density 0,791 g/mL at 25 °C n) Water solubility completely miscible o) Partition coefficient: noctanol/ water water log Pow: -0,77 p) Auto-ignition témperature 455,0 °C at 1.013 hPa q) Decomposition tëmperature no data available r) Viscosity no data available s) Explosive properties Not explosive Oxidizing properties The substance or mixture is not classified as oxidizing.
 2 Other safety information Minimum ignition energy 0,14 mJ Conductivity < 1 µS/cm Relative vapour density 1,11

10. STABILITY AND REACTIVITY

10.1 Reactivity

no data available
10.2 Chemical stability
no data available
10.3 Possibility of hazardous reactions
no data available
10.4 Conditions to avoid
Heat, flames and sparks. Extremes of temperature and direct sunlight.
10.5 Incompatible materials
Acids, Oxidizing agents, Alkali metals, Acid chlorides, Acid anhydrides, Reducing agents
10.6 Hazardous decomposition products
Other decomposition products - no data available



11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity LDLO Oral - Human - 143 mg/kg Remarks: Lungs, Thorax, or Respiration:Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. LD50 Oral - rat - 1.187 - 2.769 mg/kg LC50 Inhalation - rat - 4 h - 128,2 mg/l LC50 Inhalation - rat - 6 h - 87,6 mg/l LD50 Dermal - rabbit - 17.100 mg/kg Skin corrosion/irritation Skin - rabbit Result: No skin irritation Serious eye damage/eye irritation Eyes - rabbit Result: No eye irritation Respiratory or skin sensitisation Maximisation Test - guinea pig Does not cause skin sensitisation. (OECD Test Guideline 406) Germ cell mutagenicity Ames test S. typhimurium Result: negative in vitro assay fibroblast Result: negative Mutation in mammalian somatic cells. Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) mouse - male and female Result: negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity Damage to fetus not classifiable Fertility classification not possible from current data. Specific target organ toxicity - single exposure Causes damage to organs. Specific target organ toxicity - repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated exposure. Aspiration hazard No aspiration toxicity classification Additional Information RTECS: PC1400000 Methyl alcohol may be fatal or cause blindness if swallowed. Effects due to ingestion may include:, Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures. Symptoms may be delayed., Damage of the:, Liver, Kidney

12. ECOLOGICAL INFORMATION

12.1 Toxicity no data available 12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Results of PBT and vPvB assessment no data available 12.6 Other adverse effects no data available



13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging Dispose of as unused product.

14. TRANSPORT INFORMATION

14.1 UN number ADR/RID: 1230 IMDG: 1230 IATA: 1230 14.2 UN proper shipping name ADR/RID: METHANOL IMDG: METHANOL IATA: Methanol 14.3 Transport hazard class(es) ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA: 3 (6.1) 14.4 Packaging group ADR/RID: II IMDG: II IATA: II 14.5 Environmental hazards ADR/RID: no IMDG Marine Pollutant: no IATA: no 14.6 Special precautions for user no data available

15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture no data available 15.2 Chemical Safety Assessment no data available

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. For lab use only!